

EVINRUDE 
E-TEC

Bombardier Recreational Products Inc.
 10101 Science Drive
 Sturtevant, WI 53177
www.evinrude.com



Sabalo Boats
 1005 Gunn Highway
 Odessa, FL 33556
www.sabaloboats.com



Sabalo 23

BOAT	
2013 Sabalo 23	
Material:	Fiberglass
Length:	23'
Beam:	8'
Weight w/o Engine:	2300 LBS Dry
Maximum HP:	300 HP
Fuel Capacity:	70 Gallons
Transom Height:	25" Shaft
Steering:	Hydraulic

ENGINE	
2012 Evinrude® 250 HP ETEC®	
Engine Type:	90 degree V6
Horsepower:	250 HP @ 5150 RPM
Displacement:	3.3 Litre
Induction:	ETEC DFI
Operating Range:	4500-5800 RPM
Weight:	524 LBS Dry Weight
Gear Ratio:	1.85:1

PROPELLER	
BRP REBEL	
Material:	Stainless
Diameter/Pitch:	15 1/4" x 19"
No. of Blades:	3
Part Number:	763990
MOUNTING HEIGHT	
Hole Position:	#2
Jack Plate:	Porta Bracket
AV Mounting:	N/A

PERFORMANCE DATA				
RPM	MPH	GPH	MPG	RANGE
500	2.1	0.20	10.9	685
1000	4.8	0.67	7.2	451
1500	6.8	1.71	4.0	252
2000	8.8	4.79	1.8	116
2500	18.2	6.22	2.9	184
3000	24.8	7.37	3.4	213
3500	31.5	9.21	3.4	215
4000	36.7	11.32	3.2	204
4500	42.0	13.77	3.0	192
5000	46.6	17.46	2.7	168
5500	50.6	22.92	2.2	139
5700	51.5	23.39	2.2	139

Range (Miles) Based On 90% Fuel Capacity

TEST CONDITIONS	
Water Conditions:	Calm
Wind Velocity:	5-7 MPH
Air Temperature:	78° F
Fuel Load:	3/4 Full
Weight:	1 Man, Fuel, Safety/Test Gear T-Top, Trim Tabs, 2 Group 27 Batteries

PERFORMANCE SUMMARY
Top Speed: 51.5 MPH
Best Fuel Efficiency: 3.4 MPG with a range of 215 Miles @ 31.5 MPH
Acceleration: 3.35 seconds to plane

NOTE: Data may vary due to changes in weather and water conditions, elevation, load and boat bottom conditions, boat, engine and propeller options and conditions, and operator ability. Speed and fuel were calculated by NMEA 2000 I-Command. Test performed and certified by BRP OEM Applications Engineering.

© 2010 BRP US Inc. All rights reserved.

™ and the BRP logo are Trademarks and Registered Trademarks of Bombardier Recreational Products Inc. or its affiliates.

